



BRIDGESTONE R156 ECOPIA

Regional | Steer & Drive

- Steer tyre for use in long haul and longer regional conditions.
- Excellent steering and rib punch wear resistance.

FEATURES

- Optimum rib distribution to minimize irregular wear
- Fuel efficient
- Longer tread life

SPECIFICATIONS

TYRE SIZE	LOAD INDEX & SPEED SYMBOL	PLY	TYPE
275/70R22.5	148M	-	T/L T
275/80R22.5	149M	-	T/L T
295/80R22.5	152M	-	T/L T
11R22.5	148L	-	T/L T



BRIDGESTONE R150

Regional | Steer & Drive

Premium deep tread steer tyre for use in long haul and longer regional applications.

FEATURES

- Exceptional mileage
- Optimum tread design to minimize irregular wear
- Suitable for short to middle range operation

SPECIFICATIONS

TYRE SIZE	LOAD INDEX & SPEED SYMBOL	PLY	TYPE
295/80R22.5	152M	16	T/L T
11R22.5	148L	16	T/L T
12R22.5	152L	16	T/L T
1000R20	146K	16	T/T T
1100R20	150K	16	T/T T



BRIDGESTONE R187

Regional | All Position

An all-wheel position tyre designed for city and highway services. Excellent driving stability, traction and durability with a high resistance to irregular wear.

FEATURES

- Resistant to irregular wear
- Resistant to cut chip and stone retention

SPECIFICATIONS

TYRE SIZE	LOAD INDEX & SPEED SYMBOL	PLY	TYPE
11R22.5	148L	16	T/L T
750R15	135J	16	T/T T



BRIDGESTONE R164

Regional | Trailer

Wide base trailer tyre for On Road Use for highway use and regional use.

FEATURES

- Excellent ride comfort
- Cut and chip resistance
- Wear life

SPECIFICATIONS

TYRE SIZE	LOAD INDEX & SPEED SYMBOL	PLY	TYPE
385/65R22.5	160K	18	T/L T



BRIDGESTONE M729

Regional | Drive

Premium long-life drive-axle tyre for long haul road with excellent

FEATURES

- Special convex block design for excellent life
- Superior wet performance
- Huge mileage potential

SPECIFICATIONS

TYRE SIZE	LOAD INDEX & SPEED SYMBOL	PLY	TYPE
275/70R22.5	148M	16	T/L T
295/80R22.5	152M	-	T/L T
11R22.5	148L	-	T/L T
12R22.5	152L	16	T/L T
1000R20	146K	16	T/L T



BRIDGESTONE M798

Regional | Drive

M798 drive-axle tyre for long haul and on/off road use. It is designed to withstand harsh condition and excellent durability.

FEATURES

- Longer mileage and higher retreadability
- Irregular wear resistance for more even wear

SPECIFICATIONS

TYRE SIZE	LOAD INDEX & SPEED SYMBOL	PLY	TYPE
295/80R22.5	152M	-	T/L T
11R22.5	148L	-	T/L T
12R22.5	152L	-	T/L T